

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


Claim 1 (Original): A composition comprising:

a siloxane resin;

a silicon compound substantially consisting of silicon, carbon and hydrogen, wherein the number ratio of carbon to silicon atoms forming an -X- bond (wherein X is (C)_m (where m is an integer in the range of from 1 to 3), or a substituted or unsubstituted aromatic group with 9 or less carbon atoms) in the main chain of one molecule is in the range of from 2:1 to 12:1; and


a solvent.

Claim 2 (Original): A composition according to claim 1, wherein said silicon compound has a structure represented by formula (2):



(wherein R_4 and R_5 are each, same or different, H, an aliphatic hydrocarbon group with 1 to 3 carbon atoms, or a substituted or unsubstituted aromatic hydrocarbon group with 6 to 9 carbon atoms; R_6 is an aliphatic hydrocarbon group with 1 to 3 carbon atoms, or a substituted or unsubstituted phenylene group; and p is an integer in the range of from 20 to 1,000).

Claim 3 (Original): A composition according to claim 1, wherein said siloxane resin has a structure represented by formula (3):



(wherein R_1 , R_2 , and R_3 are each, same or different, hydrogen, fluorine, a methyl group or an -O-group; and n is an integer in the range of from 5 to 1,000).

Claim 4 (Original): A composition according to claim 1, wherein said siloxane resin is obtained:

by subjecting to a heat treatment a mixture containing a tetraalkoxysilane (a) and an alkyltrialkoxysilane and/or trialkoxysilane (b) at a molar ratio (a:b) of 0:1 to 1:0; and

by releasing from 100 to 400 moles of alcohols out of 100 moles of (a + b), the total of the tetraalkoxysilane (a) and the alkyltrialkoxysilane and/or trialkoxysilane (b).

Claim 5 (Original): A composition according to claim 1, wherein the carbon concentration in said siloxane resin is in the range of from 1 to 80 atom% based on the total atoms of the siloxane resin.

Claim 6 (Original): A composition according to claim 1, wherein the concentration of hydrogen atoms directly bonded to silicon in said siloxane resin is in the range of from 1 to 25 atom% based on the total atoms of the siloxane resin.

Claim 7 (Original): A composition according to claim 1, wherein from 0.1 to 200 parts by weight of said silicon resin is used based on 100 parts by weight of said siloxane resin.

Docket No. 011293A

U.S. Divisional of Patent Application Serial No. 09/983,951

Claims 8-27 (Canceled)